

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 2 | "6760903".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/06 11:10 |
| L2 | 1 | "6760903".pn. and multiple near2 client near2 processes | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/06 11:12 |
| L3 | 1 | "6760903".pn. and memor\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/06 11:24 |
| L4 | 1 | "6760903".pn. and network\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/06 11:31 |
| L5 | 1 | "6760903".pn. and internet | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/06 11:31 |
| L6 | 77 | shar\$4 near10 (memor\$4 or buffer\$1) same proxy and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/06 13:16 |
| L7 | 6 | processes near15 shar\$4 near10 (memor\$4 or buffer\$1) same proxy and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/06 11:33 |
| L8 | 2 | "6557056".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/06 13:16 |

EAST Search History

| | | | | | | |
|----------|-------|--|---|----|-----|------------------|
| S13 1 | 6 | ("5870559" "6148336" "6311216").pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 15:20 |
| S13 2 | 4 | ("20010032273" "20020099829") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 15:22 |
| S13 3 | 132 | input\$4 near15 output\$4 near15 (memor\$4 or buffer\$4)same proxy | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 16:18 |
| S13 4 | 52 | input\$4 near15 output\$4 near15 (memor\$4 or buffer\$4)same proxy and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 16:28 |
| S13 5 | 28425 | assign\$6 near15 process and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 16:29 |
| S13 6 | 0 | assign\$6 near15 each near2 process\$2 and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 16:29 |
| S13 7 | 0 | assign\$6 near15 each near15 process\$2 and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 16:30 |
| S13 8 | 4339 | assign\$6 near15 memor\$4 near15 process\$2 and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 16:30 |

EAST Search History

| | | | | | | |
|----------|-----|---|--|----|-----|------------------|
| S13 9 | 40 | assign\$6 near15 memor\$4 near15 process\$2 and proxy and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 17:38 |
| S14 0 | 968 | connection near15 proxy same (proxy near15 server) and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 17:39 |
| S14 1 | 36 | connection near15 (first near2 proxy) same (proxy near15 server) and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 17:43 |
| S14 2 | 74 | connection near15 (client\$1 near2 proxy) same (proxy near2 server) and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 17:43 |
| S14 3 | 36 | connection near15 (client\$1 near2 proxy) same (proxy near2 server) and processes and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 17:47 |
| S14 4 | 0 | connection near15 (client\$1 near2 proxy) same (proxy near2 server) and communicat\$4 near15 (client near3 processes) same (server near3 processes)and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 17:47 |
| S14 5 | 242 | communicat\$4 near15 (client near3 processes) same (server near3 processes)and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 17:48 |
| S14 6 | 26 | communicat\$4 near15 (client near3 processes) same (server near3 processes)and connect\$4 near15 proxy and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 17:50 |

EAST Search History

| | | | | | | |
|----------|------|--|---|----|-----|------------------|
| S14 7 | 1 | communicat\$4 near15 (client near3 processes) same (server near3 processes)and processes near15 shar\$4 near15 proxy and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 17:50 |
| S14 8 | 8 | processes near15 shar\$4 near15 proxy and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 17:54 |
| S14 9 | 422 | shar\$4 near15 proxy and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 17:54 |
| S15 0 | 26 | shar\$4 near15 proxy and connect\$4 near14 proxies and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:30 |
| S15 1 | 171 | communicat\$4 near15 processes same prox\$4 and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:31 |
| S15 2 | 125 | communicat\$4 near15 processes same prox\$4 and client\$1 same server\$1 and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:31 |
| S15 3 | 28 | communicat\$4 near15 processes same prox\$4 and client\$1 same server\$1 and shar\$4 near15 proxy and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:42 |
| S15 4 | 2034 | client\$1 near5 proxy and server\$1 near5 proxy and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:43 |

EAST Search History

| | | | | | | |
|----------|----------|---|---|----|-----|------------------|
| S15 5 | 309 | client\$1 near5 proxy and server\$1 near5 proxy and communicat\$4 near15 processes and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:44 |
| S15 6 | 115 | client\$1 near5 proxy and server\$1 near5 proxy and communicat\$4 near15 processes and connection near10 prox\$4 and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/06 11:32 |
| S15 7 | 38 | client\$1 near5 proxy and server\$1 near5 proxy and communicat\$4 near15 processes and connection near10 prox\$4 and client near3 processes and server near3 processes and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:45 |
| S15 8 | 25 | client\$1 near5 proxy and server\$1 near5 proxy and communicat\$4 near15 processes and connection near10 prox\$4 and client near3 processes and server near3 processes and (@ad<"20010125" or @rlad<"20010125") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:57 |
| S15 9 | 228 | first near2 proxy and second near2 proxy and (@ad<"20010125" or @rlad<"20010125") not S153 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:58 |
| S16 0 | 20493573 | first near2 proxy and second near2 proxy and connection near15 prox\$3 (@ad<"20010125" or @rlad<"20010125") not S153 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:58 |
| S16 1 | 121 | first near2 proxy and second near2 proxy and connection near15 prox\$3 and (@ad<"20010125" or @rlad<"20010125") not S153 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:58 |
| S16 2 | 0 | first near2 proxy and second near2 proxy and connection near15 first adj2 proxy near15 second adj2 proxy and (@ad<"20010125" or @rlad<"20010125") not S153 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:59 |

EAST Search History

| | | | | | | |
|----------|-----|--|---|----|-----|------------------|
| S16 3 | 0 | connection near15 first adj2 proxy near15 second adj2 proxy and (@ad<"20010125" or @rlad<"20010125") not S153 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:59 |
| S16 4 | 0 | connection near15 first adj proxy near15 second adj proxy and (@ad<"20010125" or @rlad<"20010125") not S153 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:59 |
| S16 5 | 0 | first adj proxy near15 second adj proxy and (@ad<"20010125" or @rlad<"20010125") not S153 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:59 |
| S16 6 | 95 | first adj proxy and second adj proxy and (@ad<"20010125" or @rlad<"20010125") not S153 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:59 |
| S16 7 | 161 | first adj2 proxy and second adj2 proxy and (@ad<"20010125" or @rlad<"20010125") not S153 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 18:59 |
| S16 8 | 118 | first adj2 proxy and second adj2 proxy and connect\$4 near15 prox\$4 and (@ad<"20010125" or @rlad<"20010125") not S153 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 19:01 |
| S16 9 | 118 | first adj2 proxy and second adj2 proxy and connect\$4 near15 prox\$4 and (@ad<"20010125" or @rlad<"20010125") not S153 and prox\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 19:24 |
| S17 0 | 21 | first adj2 proxy and second adj2 proxy and connect\$4 near15 prox\$4 and (@ad<"20010125" or @rlad<"20010125") not S153 and prox\$4 and processes near15 communicat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 20:27 |

EAST Search History

| | | | | | | |
|----------|----|--|---|----|-----|------------------|
| S17 1 | 1 | first adj2 proxy and second adj2 proxy and connect\$4 near15 prox\$4 and (@ad<"20010125" or @rlad<"20010125") not S153 and prox\$4 and server near3 processes near15 communicat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 20:28 |
| S17 2 | 1 | first adj2 proxy and second adj2 proxy and connect\$4 and (@ad<"20010125" or @rlad<"20010125") not S153 and prox\$4 and server near3 processes near15 communicat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 20:28 |
| S17 3 | 56 | (@ad<"20010125" or @rlad<"20010125") not S153 and prox\$4 and server near3 processes near15 communicat\$4 near15 client near3 processes | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 20:59 |
| S17 4 | 54 | (@ad<"20010125" or @rlad<"20010125") not S153 and prox\$4 and server near3 processes near15 communicat\$4 near15 client near3 processes and memor\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/05 20:59 |
| S17 5 | 14 | (@ad<"20010125" or @rlad<"20010125") not S153 and prox\$4 and server near3 processes near15 communicat\$4 near15 client near3 processes and shar\$4 near10 memor\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/06/06 11:10 |